

Mine Safety and Health Administration

[OMB Control No. 1219-0016]

Proposed Extension of Information Collection; Ventilation

Plan and Main Fan Maintenance Record

AGENCY: Mine Safety and Health Administration, Labor.

ACTION: Request for public comments.

SUMMARY: The Department of Labor, as part of its continuing effort to reduce paperwork and respondent burden, conducts a pre-clearance consultation program to provide the general public and Federal agencies with an opportunity to comment on proposed collections of information in accordance with the Paperwork Reduction Act of 1995. This program helps to ensure that requested data can be provided in the desired format, reporting burden (time and financial resources) is minimized, collection instruments are clearly understood, and the impact of collection requirements on respondents can be properly assessed. Currently, the Mine Safety and Health Administration (MSHA) is soliciting comments on the information collection for Ventilation Plan and Main Fan Maintenance Record.

DATES: All comments must be received on or before [INSERT DATE 60 DAYS AFTER DATE OF PUBLICATION IN THE FEDERAL REGISTER].

ADDRESSES: Comments concerning the information collection requirements of this notice may be sent by any of the methods listed below.

- Federal E-Rulemaking Portal:
 http://www.regulations.gov. Follow the on-line
 instructions for submitting comments for docket
 number MSHA-2022-0043.
- Mail/Hand Delivery: Mail or visit DOL-MSHA, Office of Standards, Regulations, and Variances, 201 12th Street South, Suite 4E401, Arlington, VA 22202-5452. Before visiting MSHA in person, call 202-693-9455 to make an appointment, in keeping with the Department of Labor's COVID-19 policy. Special health precautions may be required.
- MSHA will post your comment as well as any attachments, except for information submitted and marked as confidential, in the docket at https://www.regulations.gov.

FOR FURTHER INFORMATION CONTACT: S. Aromie Noe, Director, Office of Standards, Regulations, and Variances, MSHA, at MSHA.information.collections@dol.gov (email); (202) 693-9440 (voice); or (202) 693-9441 (facsimile).

SUPPLEMENTARY INFORMATION:

I. Background

Section 103(h) of the Federal Mine Safety and Health Act of 1977 (Mine Act), 30 U.S.C. 813(h), authorizes MSHA

to collect information necessary to carry out its duty in protecting the safety and health of miners. Further, section 101(a) of the Mine Act, 30 U.S.C. 811, authorizes the Secretary of Labor (Secretary) to develop, promulgate, and revise as may be appropriate, improved mandatory health or safety standards for the protection of life and prevention of injuries in coal and metal and nonmetal mines.

Underground mines usually present harsh and hostile working environments. The ventilation system is the most vital life support system in underground mining and a properly operating ventilation system is essential for maintaining a safe and healthful working environment. A well planned mine ventilation system is necessary to ensure a fresh air supply to miners at all working places, to control the amounts of harmful airborne contaminants in the mine atmosphere, and to dilute possible accumulation of explosive gases.

Lack of adequate ventilation in underground mines has resulted in fatalities from asphyxiation and/or explosions due to a buildup of explosive gases. Inadequate ventilation can be a primary factor for deaths caused by disease of the lungs (e.g., silicosis). In addition, poor working conditions from lack of adequate ventilation contribute to accidents resulting from heat stress, limited visibility, or impaired judgment from contaminants.

30 CFR 57.8520 (Ventilation plan) requires the mine operator to prepare a written plan of the mine ventilation system. The plan is required to be updated at least annually. Upon written request of the District Manager, the plan or revisions must be submitted to MSHA for review and comment.

30 CFR 57.8525 (Main fan maintenance) requires the main ventilation fans for an underground mine must be maintained according to the manufacturer's recommendations or a written periodic schedule. Upon request of an authorized representative of the Secretary, this fan maintenance schedule must be made available for review. The records assure compliance with the standard and may serve as a warning mechanism for possible ventilation problems before they occur.

II. Desired Focus of Comments

MSHA is soliciting comments concerning the proposed information collection related to Ventilation Plan and Main Fan Maintenance Record. MSHA is particularly interested in comments that:

 Evaluate whether the collection of information is necessary for the proper performance of the functions of the Agency, including whether the information has practical utility;

- Evaluate the accuracy of MSHA's estimate of the burden of the collection of information, including the validity of the methodology and assumptions used;
- Suggest methods to enhance the quality, utility, and clarity of the information to be collected; and
- Minimize the burden of the collection of information
 on those who are to respond, including through the use
 of appropriate automated, electronic, mechanical, or
 other technological collection techniques or other
 forms of information technology, e.g., permitting
 electronic submission of responses.

The information collection request will be available on http://www.regulations.gov. MSHA cautions the commenter against providing any information in the submission that should not be publicly disclosed. Full comments, including personal information provided, will be made available on www.regulations.gov and www.reginfo.gov.

The public may also examine publicly available documents at DOL-MSHA, Office of Standards, Regulations, and Variances, 201 12th Street South, Suite 4E401, Arlington, VA 22202-5452. Sign in at the receptionist's desk on the 4th floor via the East elevator. Before visiting MSHA in person, call 202-693-9455 to make an appointment, in keeping with the Department of Labor's COVID-19 policy. Special health precautions may be required.

Questions about the information collection requirements may be directed to the person listed in the FOR FURTHER INFORMATION CONTACT section of this notice.

III. Current Actions

This request for collection of information contains provisions for Ventilation Plan and Main Fan Maintenance Record in 30 CFR 57.8520 and 30 CFR 57.8525. MSHA has updated the data with respect to the number of respondents, responses, burden hours, and burden costs supporting this information collection request.

Type of Review: Extension, without change, of a currently approved collection

Agency: Mine Safety and Health Administration

OMB Number: 1219-0016

Affected Public: Business or other for-profit

Number of Respondents: 232

Frequency: On occasion

Number of Responses: 243

Annual Burden Hours: 5,608 hours

Annual Respondent or Recordkeeper Cost: \$0

Comments submitted in response to this notice will be summarized and included in the request for Office of Management and Budget approval of the information collection request; they will also become a matter of public record.

Song-ae Aromie Noe,

Certifying Officer.

[FR Doc. 2022-21232 Filed: 9/29/2022 8:45 am; Publication Date: 9/30/2022]